

Page 1

MSDS NUMBER: M6000-2

ISSUE DATE:

01-29-01

SUPERSEDES:

*CHANGE

**ADDITION

***CORRECTION

CHEMICAL NAME:

SILVER METAL, COPPER METAL

TRADE NAME AND SYNONYMS:

SILVER/COPPER POWDER

CHEMICAL NAME

CAS NUMBER

PERCENT

SILVER METAL

7440-22-4

1-99%

COPPER POWDER

7440-50-8

99-1%

TRADE NAME AND SYNONYMS:

SILVER METAL. COPPER METAL

CHEMICAL FAMILY: METAL POWDER

PHYSICAL DATA

APPEARANCE AND ODOR: DARK GREY TO LIGHT GREY POWDER, NO ODOR

VAPOR DENSITY (AIR=1):

NA

DENSITY:

8.96-10.49

VAPOR PRESSURE (mm HG): NA

MELTING POINT:

1436-1984° F

EVAPORATION RATE (BUTYL ACETATE:

NEGLIGIBLE

BOILING POINT:

4653° F

SOLUBILITY IN WATER:

INSOLUBLE



Page 2

MSDS NUMBER: M6000-2

CHEMICAL NAME: SILVER METAL, COPPER METAL

TRADE NAME AND SYNONYMS: SILVER/COPPER POWDER

HAZARDOUS INGREDIENTS

MATERIAL PERCENT BY OSHA ACGIH
WEIGHT PEL TWA

mg/M3 mg/M3

SILVER 1-99% 0.01 mg/M3 0.1 mg/M3

 COPPER (LIMITS FOR DUST)
 99-1%
 1mg/M3
 1mg/M3

 (LIMITS FOR FUMES)
 0.1mg/M3
 0.2mg/M3

(Emiliar of the office of the

THIS PRODUCT IS REGULATED AS A TOXIC CHEMICAL UNDER SECTION 313 OF TITLE III/SARA, AND 40 CFR, PART 372.

THIS PRODUCT IS NOT REGULATED BY THE CALIFORNIA PROPOSITION 65 LIST.

ALL INGREDIENTS ARE LISTED IN THE TSCA INVENTORY.

HEALTH HAZARD DATA

SYMPTOMS OF OVEREXPOSURE:

INHALATION: RESPIRATORY ILLNESS.

CONTACT WITH SKIN OR EYES: SKIN DISORDERS.
ABSORBED THROUGH SKIN: DATA NOT AVAILABLE.
SWALLOWED: DATA NOT AVAILABLE.

HEALTH EFFECTS OR RISKS FROM EXPOSURE:

ACUTE: NONE CHRONIC: ARGYRIA

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: MOVE VICTIM TO FRESH AIR. CONSULT PHYSICIAN IF DISCOMFORT PERSISTS.

SKIN CONTACT: WASH THOROUGHLY WITH SOAP AND WATER.

EYE CONTACT: WASH THOROUGHLY WITH WATER.

INGESTION: INDUCE VOMITING IF VICTIM IS CONSCIOUS. CONSULT PHYSICIAN.

SUSPECTED CANCER AGENT: NO



Page 3

MSDS NUMBER: M6000-2

CHEMICAL NAME: SILVERMETAL, COPPER METAL

TRADE NAME AND SYNONYMS: SILVER/COPPER POWDER

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NON-FLAMMABLE

AUTOIGNITION TEMPERATURE, F.: NA

FLAMMABLE LIMITS IN AIR, VOLUME %: LEL: NA UEL: NA

FIRE EXTINGUISHING MATERIALS:

USE MEDIA APPROPRIATE FOR THE SURROUNDING FIRE.

SPECIAL FIRE FIGHTING PROCEDURE:

IF MATERIAL OS FULLY INVOLVED IN A FIRE, WEAR A NIOSH/MSHA APPROVED, SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE GEAR. COLLECT METAL FOR RECLAMATION.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NA

DEACTIVITY DATA

REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: AVOID CREATING DUST.

INCOMPATIBILITY (MATERIALS TO AVOID): FLAMMABLE LIQUIDS AND GASES, HYDROGEN,

SULFUR, PEROXIDES, AMMONIA, SULFURIC ACID,

TARTARIC ACID, ALUMINUM.

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: NA



Pa	ae	_ د	4
	u	7	-

MSDS NUMBER: M6000-2

CHEMICAL NAME: SILVER METAL, COPPER METAL

TRADE NAME AND SYNONYMS: SILVER/COPPER POWDER

SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

CAREFULLY COLLECT ALL SPILLED MATERIAL. STORE IN A SEALED CONTAINER AND RETAIN FOR METAL RECOVERY.

WASTE DISPOSAL METHOD:

SHOULD BE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

SPECIAL HANDLING INFORMATION

VENTILATION: LOCAL EXHAUST.

RESPIRATORY PROTECTION: NIOSH/MSHA APPROVED RESPIRATOR.

EYE PROTECTION: CHEMICAL SAFETY GOGGLES.

GLOVES: RUBBER GLOVES.

OTHER CLOTHING AND EQUIPMENT: WEAR PROTECTIVE CLOTHING.

WORK PRACTICES, HYGIENIC PRACTICES: WASH THOROUGHLY AFTER HANDLING AND BEFORE

EATING OR SMOKING.

OTHER HANDLING AND STORAGE REQUIREMENTS: AVOID CREATING DUST.

IN CASE OF QUESTIONS, PLEASE CALL:

CuLox Technologies, Inc 178 General Pulaski Walk Naugatuck, CT 06770

Tel: (203) 729-7940 Fax: (203) 729-5989

ALTHOUGH CuLox HAS ATTEMPTED TO PROVIDE CURRENT AND ACCURATE INFORMATION HEREIN, CuLox MAKES NO REPRESENTATIONS REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION AND ASSUMES NO LIABILITY FOR ANY LOSS, DAMAGE, INJURY OF ANY KIND WHICH MAY RESULT FROM OR ARISE OUT OF THE USE OF OR RELIANCE ON THE INFORMATION BY ANY PERSON.

----- END OF DATA -----